

ISSN (E): 2320-3862 ISSN (P): 2394-0530 www.plantsjournal.com JMPS 2021; 9(4): 24-27 © 2021 JMPS Received: 15-05-2021 Accepted: 19-06-2021

### Ujjal Chettri

Department of Microbiology, School of Bioengineering and Biosciences, Lovely Professional University, Phagwara, Punjab, India

#### Swati Kumari

CSIR-NEERI (National Environmental Engineering Research Institute) Nagpur, Maharashtra, India

# A list of medicinally important plants of Sikkim Himalayan region, India

## Ujjal Chettri and Swati Kumari

**DOI:** https://doi.org/10.22271/plants.2021.v9.i4a.1307

#### Abstract

According to report of WHO 2019 on Traditional and complementary medicine it is found that more than 80% of the world population out of total global population relies upon natural resources like plants for various formulation in order to treat several diseases. Most of the herbal and pharmaceutical industries were already using some of these plant species commercially as their formulations. These medicinally important plants are also a source for several novel therapeutic compounds and their over exploitation by commercial industries may result in extinction of various plant species which are valuable. People in Himalayan region like Sikkim are utilizing some of this medicinally important plants as part of their local tradition and traditional medicine system. As we already know all of the synthetic allopathic drugs may result in various side-effects and also may cause serious problems like microbial multidrug resistance. So plants with medicinal properties were better choice in for curing various problems of the body. So it is very important to document all these medicinally important plants from Himalayan region of Sikkim. In this article we have utilized Many previous reports about different medicinal plants found in Sikkim Himalayan region and from this list of 51 medicinally important plant species were prepared along with their scientific names, plant parts of interest, and their Ethnomedicinal application or uses which will be helpful for researchers working in related field.

Keywords: WHO, traditional medicine, Sikkim, over exploitation, ethnomedicinal

## Introduction

The Floral statics of India 2019 prepared by Botanical Survey of India, Kolkata, West Bengal reported about 2,68,600 flowering plants worldwide out of this only 18,386 exist in India which is about 6.84% of the world. In India many of the plants are reported with medicinal properties but only 3000 plants species are reported with medicinal properties till now [1]. Some previous reports also showed several medicinal plants which were part of Traditional or Folk medicine since ancient times and out of them only few medicinal plants were regularly utilized.

The rich biodiversity of Himalayan region is mainly due to presence of diverse geographical, physiological, topographical, ecological and Climatic zones [2]. The Indian state of Sikkim is located within 27°4' 46" to 28 ° 7' 48" N latitudes and 88 ° 58' to 88 ° 5' 25" longitudes and altitude ranging from 100 meters to 8598 meters of Mighty Mt Kanchenjunga [3]. Sikkim shares its boundaries with countries like Tibet, China, Bhutan and Nepal and also very nearest to the Siliguri corridor of West Bengal, India. Out of all medicinal plants in the world 490 medicinal plants were found in Sikkim with medicinal properties. Due to very strong belief in herb, many medicinal plant have been used in traditional medicine since ancient times by all of the ethnic groups like Lepcha, Bhutia and Nepali in Sikkim. Poor accessibility and harsh climatic conditions are the reason for people living isolated in high altitude areas like Sikkim while geographical conditions influence them to develop unique medicinal system [4]. This ancient medicinal system are also still popular and followed by the ethnic people to treat various problems of the body. While this knowledge of ancient traditional medicinal system is transferred from one generation to another generation in form of conversation instead of documenting it somewhere [5]. The ethnic community in Sikkim Himalayan region are dependent totally on wild medicinal flora to follow their own traditional medicine practices. So there is a need for proper documentation of indigenous medicinal system and diversity of important medicinal plants in a Himalayan region like Sikkim [6]. Out of all medicinal species

Corresponding Author:
Ujjal Chettri
Department of Microbiology,
School of Bioengineering and
Biosciences, Lovely Professional
University, Phagwara, Punjab,
India

Journal of Medicinal Plants Studies http://www.plantsjournal.com

found in Sikkim some are also commercially used for Ayurvedic and Pharmaceutical formulation. A useful scientific approach must be followed for the knowledge and preservation of all important medicinal plants found in Himalayan region of Sikkim [7]. This study is focused on some important medicinal plants which are native to Himalayan

region of Sikkim and believed to show promising therapeutic properties. This will also be helpful for researchers or scientist working in this field in identifying various therapeutic compound obtained from this 51 medicinally important plants listed in this study from Himalayan region of Sikkim along with their Ethnomedicinal uses.

Table 1: A List of Selected Medicinal Plants of with their Ethnomedicinal uses from Sikkim Himalayan Region

S. No.	Botanical Name (Family)	Local name	Parts Used	Ethnomedicinal uses
1.	Abrus Precatorius	Lalgeri	Fruits and Roots	Leaves used for cough, cold and fever. Roots used for jaundice, abdominal pain and also for snake bite remedy [8].
2.	Acorus calamus	Bojho	Roots and Rhizome	Rhizome used for epilepsy, memory disorders, chronic diarrhea and flatulent colic [9].
3.	Hymenodictyon sp.	Latikaran	Bark	Bark used for fever, tumors [10] and Hemorrhoids (Piles) [11]
4.	Hypericum sp.	Urila	Seed	Act as antidepressant [12] anti-cancer [13] anti-viral [14]
5.	Kaempferia roturela	Bhui champa	Tubers	Act as bone settlers [15]
6.	Leea macrophylla	Bulyettra	Seed, Root and Leaves	Leaves used for gastric tumor, body ache and sexual disability [16]
7.	Litsea citrate	Siltimur	Fruits	Used for stomachache, gastroenteritis, diabetes and traumatic injury [17]
8.	Lycopodium clavatum	Nagbeli	Roots and Leaves	Used against kidney stones and urinary tract infections [18]
9.	Melia azadirach	Bakaina	Root	Used against malaria [19] and thypoid fever [20]
10.	Mesua ferrea	Nageeswari	Bark	Used as antipyretic, cardiotonic and diuretic agent [21]
11.	Marsdenia roylie	Baahuni Lahara	Entire plant	Stem juice for peptic and gastric ulcers [22]
12.	Myrica esculenta	Katusi	Bark	Paste of bark used for paralysis, joint pains and for wound healing [23]
13.	Nardostachys jatamansi DC.	Jatamansi	Whole plant including roots	Used to treat hysteria, seizures and epilepsy [24]
14.	Podophyllum hexandrum	Bankankari	Fruit, Root, whole plants	Used for jaundice, liver disorders, syphilis [25]
15.	Panax pseudoginseng	Mangan	Roots	Used against Dyspepsia, asthma and palpitation [26]
16.	Pteri biaurita	Thado unew	Stem	Used against Dysentry and body pain [27]
17.	Polygonum viviparum	Ratnaula	Root	Used as antidiabetic, anti-inflammatory, and antitumor agent [28]
18.	Rubus ellipticus	Aiselu	Fruit and Roots	Used for bacterial infection, fracture bones, stomachache etc [29]
19.	Rumex nepallensis	Halhaley	Root	Used for treating syphilis, colic ulcer and skin sores [30]
20.	Rhus semialata	Bhakimlo	Fruits	Used for gastrointestinal and urinary related problems [31]
21.	Rubia cordifolia	Majito	Fruits and Root	Used to treat inflammation, Haematuria and ulcers related problems [32]
22.	Rhododendron anthopogon	Sunpati	Whole plant	Used to treat Headache, Rheumatism and Inflammation [33]
23.	Rhododendron arboreum	Laligurans		Used to cure heart problems and stomach ache [34]
			Flowers and young leaves	
24.	Rauwalfia serpentina	Sarpganha	Roots	Used to cure high blood pressure, sleep disorder and mental agitation [35]
25.	Selinum tenuifolium	Bhut Kesh	Leaves and Fruit	Act as antibacterial, antispasmodic, Insect repellent [36]
26.	Swertia chiraita	Chiraita	Whole plant	Used for liver disorders, gastrointestinal infections and intestinal worms [37]
27.	Sapindus mukrosssi	Ritha	Fruits	Used for excessive salivation, migranes and chlorosis [38]
28.	Saussurea costus	Kapisful, Kuth	Fruit, Leaves and Root	Used as anti- cancer, anti-ulcer and hepatoprotective activities [39]
29.	Solanum nigrum	Kalobehi	Fruit, Root and Leaves	Used as anti convulsant and Hepatoprotective problems [40]
30.	Stephania glabra	Taubarkey	Root Bulb	Used against asthma, analgesia and arthritis [41]
31.	Xanthoxyllum acanthopodium	Bokey timbur	Fruit	Used against bleeding of gums and toothache [42]
32.	Terminalia ballerica	Barra	Fruit Bark	Used in hepatitis, piles, bronchitis, asthma and cough [43]
33.	Toona ciliata	Tooni	Flower Bark	Used in leprosy, blood infections and used as cardiotonic [44]
34.	Trichosanthus bracteata	Indreyni	Fruit root	Used in wounds, boils and ulcers [45]
35.	Tupistra nutans	Nakima	Flower	Used as Anti- diabetic and also prevents anemia and osteoporosis [46]
36.	Nephrolepis cordifolia	Pani-amla	Tubers	Used as Hepatoprotective and natural contraceptive agent [47]
37.	Urtica dioca	Sisnu	Whole plant	Used as bllod builder, anti-hemorrhagic and diuretic agent [48]
38.	Viscum articulatum	Harchur	Whole plant	Used against arteriosclerosis, arthritis and settling of fracture bones [49]
39.	Valariena jatamansi	Nakali jatamansi	Root	Used in blackening of hairs and to remove foul smell due to tootache [50]
40.	Woodfordia fruticosa	Dhayeroo	Flower, Bark	Used against dysentery, bowel complaints and haematuria [51]
41.	Xanthoxyllum allatum	Bokey timbur	Fruits	Used as anti-diabetic agent [52]
42.	Taxus baccata	Dhengre salla	Leaf and Bark	Used for cold cough and hypertension [53]
43.	Picrorhiza kurooa	Kutki	Roots	Used to cure cough, fever, bile flow related problems [54]
44.	Abies wabbiana	Gobre salla	Leaves and Gum	Used against cough, Indigestion and tuberculosis [55]
45.	Asparagus racemosus	Kurilo	Tuberous	Used in Indigestion, tumor and bronchitis [56]
46.	Astilbe rivularis	Buriokathi	Leaves, Root and Rhizome	Used against inflammation and peptic ulcer [57]
47.	Adatoda vasica	Asuru	Bark, Flower and Root	Used in scabies, upper respiratory tract infections and rheumatic fever [58]
48.	Aesandra butyraceae	Chewri	Fruits	Used for liver protection, gastritis and urination tract infection [59]
49.	Alstonia scholaris	Chatiwan	Bark, Flower and Latex	Used for malarial fever, urticaria and skin disorders [60]
50.	Berginia ciliata	Pakhanbed	Root and Rhizome	Used to treat pulmonary infections, piles and dissolving stones in kidney and bladder [61]
51.	Artemisia vulgaris	Titaypati	Leaves	Used as antiseptic, stops nose bleeding, and also used as liver and spleen protective agent [62]

## Medicinal Plants and their uses

A total of 51 medicinal plants species from the Himalayan state of Sikkim have been listed in table with their medicinal properties based upon previous research data. All of the botanical information of these 51 plants species were evaluated and also confirmed using various online database site of Medicinal Plants.

## Conclusion

Medicinally important plants are one of the valuable part of traditional medicinal system practiced in the Himalayan region like Sikkim. Where people have huge belief about the potential of this medicinally important herb or plants which are easily available without causing any side effects. The overexploitation of natural resources including plants may also results in extinction of this valuable plant species and the

same way the transfer of traditional medicinal knowledge practiced by different ethnic groups may also get stopped. So it is very important to explore this medicinally important plants and to document the Ethnomedicinal value or uses of this medicinally important plants.

## References

- 1. Prakasha HM, Krishnappa M, Krishnamurthy YL, Poornima SV. Folk medicine of NR Pura Taluk in Chikamaglur district of Karnataka. Indian Journal of Traditional Knowledge 2010;9(1):55-60.
- Khoshoo 1991.
- 3. Birkumar Singh H, Prasad P, Rai LK. Folk Medicinal Plants in the Sikkim Himalayas of India; Asian Folklore Studies 2002;61:295-310.
- 4. Sharma TK, Sharma S. Medicinal Plants of Sikkim. Gangtok: Sharma and Sharma Publication 2010, 1-6.
- 5. Bhasin V. Medicinal Anthropology healing Practice in Contemporary Sikkim. Anthropologie 2007;3:59-94.
- Roy Burman. Tribal Medicine. Traditional practices and Changes in Sikkim. New Delhi: Mittal Publications 2003, 8-42.
- 7. Rai Lalit Kumar, Sharma Eklabya. Medicinal Plants of Sikkim Himalaya, Status uses and potential, GB Pant Institute of Himalayan environment & development, Gangtok 1994, 37-80.
- 8. Attal AR, Otari KV, Shete RV, Upasani CD, Nandgude TD. *Abrus precatorius* Linnaeus: a phytopharmacological review. J Pharm Res 2010;3(11):2585-2587.
- 9. Kirtikar KR, Basu BD. Indian Medicinal Plants. Allahabad, India, Basu LM 1954;3:2045-2048.
- 10. Rai LK, Sharma E. Medicinal Plants of the Sikkim Himalaya. Prishen Singh, Mahendra Pal Singh, Dehradun 1994, 48.
- 11. Chatterjee A, Pakrashi SC. The Treatise on Indian Medicinal Plants (Vol. 5). National Institute of Science Communication, New Delhi 1997, 84-85.
- 12. Ernst E. St. John's wort, an anti-depressant? A systematic, criteria-based review. Phytomedicine 1995;2:67-71.
- 13. Lavie G, Mazur Y, Lavie D, Levin B, Ittah Y, Meruelo D. Hypercin as an antiretroviral agent. Reprinted from: Aids: Anit-HIV agents. Therapies and Vaccines of the Annals of the New York Academy of Sciences 1995;616:556-562.
- Diwu Z. Novel therapeutic and diagnostic applications of hypoccrellins and hypericins. Photochem. & Photobiol 1995;61:529-532.
- 15. Trishna Das, Shanti Bhushan Mishra, Dipankar Saha, Shivani Agarwal. Ethnobotanical Survey of Medicinal Plants Used by Ethnic and Rural People in Eastern Sikkim Himalayan Region; African Journal of Basic & Applied Sciences 2012;4(1):16-20.
- 16. Gaurav Upadhay, Leea macrophylla. A Review on Ethanobotanical Uses, Phytochemistry and Pharmacological Action; Pharmacognosy Reviews 14(27), 33-36.
- 17. Editorial Committee of Zhonghua Bencao National Traditional Chinese Herb Administration. Zhonghua Bencao. Shanghai Scientific and Technical Publishing House, Shanghai 1999.
- 18. Biswas Surjyo. A better understanding of pharmacological activities and uses of phytochemicals of Lycopodium clavatum: A review. Journal of Pharmacognosy and Phytochemistry 2014;3(1):207-210.

- 19. Sen A, Batra A, Rao DV. Pivotal role of plant growth regulators in clonal propogation of *Melia azedarach* L Int J Pharm Sci Rev Res 2010;5(2):43-49.
- Ramya S, Jepachanderamohan PJ, Alaguchamy N, Kalayanasundaram M, Jayakumararaj R. *In Vitro* antibacterial prospective of crude leaf extracts of *Melia* azedarach Linn. against selected bacterial strains. Ethnobotanical Leaf lets 2009;13:254-258.
- 21. Foundation of Resuscitate and Encourage Thai Traditional Medicine. Thai pharmaceutical book. Pikanate Printing Center Co- oporation, Bangkok 2005.
- 22. Panda, Ashok, Brahma KK. Medicinal uses of flowering plants by the local people of Samdong, East Sikkim. Journal of Drug Research in Ayurveda and Siddha | Year 2009;30(3-4):41-48, 30. 41-48.
- 23. Manandhar NP. Plants and People of Nepal, Timber Press. Portland Orgeon 2002. ISBN: 0-88192-527-6
- 24. Pandey MM, Katara A, Pandey G, Rastogi S, Rawat AK. An important Indian traditional drug of ayurveda jatamansi and its substitute bhootkeshi: chemical profiling and antioxidant activity. Evid Based Complement Alternat Med 2013;2013:142517.
- 25. Kalam MA, Malik AH, Ganie AH, Butt TA. Medicinal importance of Papra (*Podophyllum hexandrum* Royle) in Unani System of Medicine. J Complement Integr Med 2021, 29.
- 26. Selvam ABD. Pharmacognosy of Negative Listed Plants 2012, 138-148.
- 27. Suraj RH, Jadeyegowda M, Kushalappa CG, Maheshwarappa V, Chandrashekar SY. An Ethnobotanical Study of Medicinal Pteridophytes in Kodagu Region of Western Ghats, India. Int. J Curr. Microbiol. App. Sci 2020;9(10):367-380.
- 28. Siriporn Okonogia B, Kantaporn Kheawfub, Wolfgang Holzerc. Anti-inflammatory Effects of Compounds from Polygonum odoratum, Natural Product Communications 2016, 11(11).
- 29. Manjri Sharma, Jaspreet Kaura, Vikas Kumar, Kartik Sharma. Nutraceutical potential of Rubus ellipticus: a critical review on phytochemical potential, health benefits, and utilization, think India journal 2019, 22(37).
- 30. Samrin Shaikh, Varsha Shriram, Amrita Srivastav, Pranoti Barve, Vinay Kumar. A critical review on Nepal Dock (*Rumex nepalensis*): A tropical herb with immense medicinal importance, Asian Pacific Journal of Tropical Medicine 2018, 11(7).
- 31. Heirangkhongjam MD, Ngaseppam IS. Traditional medicinal uses and pharmacological properties of Rhus chinensis Mill: A systematic review. European Journal of Integrative Medicine 2018;21:43-49.
- 32. Traditional and Modern Use of Indian Madder (*Rubia cordifolia* L.): An Overview, Int. J Pharm. Sci. Rev. Res 2014;25(1):154-164. Article No. 27.
- 33. Kumar V, Suri S, Prasad R *et al.* Bioactive compounds, health benefits and utilization of *Rhododendron*: a comprehensive review. Agric & Food Secur 2019, 8(6).
- 34. Nand K, Naithani S. Ethnobotanical uses of wild medicinal plants by the local community in the Asi Ganga Sub-basin, Western Himalaya. Journal of Complementary Medicine Research 2018;9(1):34-46.
- 35. Kiran K, Jothi Priya A, Gayatri Devi R. Medicinal and therapeutic uses of Rauwolfia serpentina Indian snakeroot, Drug Invention Today 2018, 10(1).
- 36. Srivastava, Ravi Prakash, Dixit Pooja, Singh Lav Verma, Praveen Saxena, Gauri. Status of *Selinum spp.* L. a

Himalayan Medicinal Plant in India: A Review of Its Pharmacology, Phytochemistry and Traditional Uses. Current Pharmaceutical Biotechnology 2018, 19(14).

- 37. Kumar V, Van Staden J. A Review of Swertia chirayita (Gentianaceae) as a Traditional Medicinal Plant. Front. Pharmacol 2016, 6(308).
- 38. Suhagia BN, Rathod IS, Sunil Sindhu, Sapindus Mukorossi. (Areetha): An Overview, IJPSR 2011;2(8):1905-1913.
- 39. Pandey MM, Rastogi S, Rawat AK. Saussurea costus: botanical, chemical and pharmacological review of an ayurvedic medicinal plant. J Ethnopharmacol 2007;110(3):379-90.
- 40. Atanu FO, Ebiloma UG, Ajayi EI. A review of the pharmacological aspects of *Solanum nigrum* Linn. Biotechnology and Molecular Biology Review 2011;6(1):001-007.
- 41. HemRaj Vashist, Stephania glabra (Menispermaceae)-Phytochemical Perspective. IOSR Journal of Pharmacy and Biological Sciences 2018;13(6):35-40.
- 42. Verma KK, Kumar K, Raj H, Sharma A. A Review on Chemical Constituents, Traditional Uses, Pharmacological Studies of *Zanthoxylum armatum* (Rutaceae), Journal of Drug Delivery and Therapeutics 2021;11(2-s):136-142.
- 43. Anindita Deb, Sikha Barua, Dr. Biswajit Das. Pharmacological activities of Baheda (Terminalia bellerica): A review, Journal of Pharmacognosy and Phytochemistry 2016;5(1):194-197.
- 44. Divakar, Parminder Ratan. Phytopharmacology of Toona ciliata: A review, Int. Res. J Pharm 2017, 8(5).
- 45. Seliya AR, Patel NK. Ethnomedicinal Uses of Climbers from Saraswati River Region of Patan District, North Gujarat, Ethnobotanical Leaflets 2009;13:865-72.
- 46. Ujjal Chettri, Swati Kumari, Dakshita Sharma, Bikkey Chettri, Sujala Chettri. A Review on Potential Antimicrobial and Therapeutic Properties of Himalayan Plant Tupistra nutans (Nakima), Int. J Pharm. Sci. Rev. Res 2020;64(1):109-113. Article No. 21.
- 47. Ujjal Chettri, Swati Kumari, Bikkey Chettri. A review on anti-microbial and hepatoprotective properties of Himalayan wild fern Nephrolepis cordifolia (Pani Amla), The Pharma Innovation Journal 2020;9(9):572-577.
- 48. Mueen Ahmed KK, Subramani Parsuraman. *Urtica dioica* L., (Urticaceae): A Stinging Nettle, Systematic Reviews in Pharmacy 2014, 5(1).
- 49. Zurpnicka A, Kowalczuk A, Szterk A. Biological activity of mistletoe: *in vitro* and *in vivo* studies and mechanisms of action. Arch. Pharm. Res 2020;43:593-629.
- 50. Jugran AK, Rawat S, Bhatt ID, Rawal RS. Valeriana Jatamansi: An herbaceous plant with multiple medicinal uses. Phytotherapy Research 2019, 1-22.
- 51. Das PK, Goswami S, Chinniah A, Panda N, Banerjee S, Sahu NP *et al.* Woodfordia fruticosa: Traditional uses and recent findings. Journal of Ethnopharmacology 2007;110(2):189-199.
- 52. Alam F, Saqib QNU, Ashraf M. *Zanthoxylum armatum* DC extracts from fruit, bark and leaf induce hypolipidemic and hypoglycemic effects in mice- *in vivo* and *in vitro* study. BMC Complement Altern Med 2018;18:68.
- 53. Sharma H, Garg M. A review of traditional use, phytoconstituents and biological activities of Himalayan yew, *Taxus wallichiana*. Journal of Integrative Medicine 2015;13(2):80-90.

- 54. Qureshi Huma, Masood Maria, Arshad Muhammad, Qureshi Rahmatullah, Sabir Sidra, Amjad Muhammad Shoaib *et al.* Picrorhiza kurroa: An ethnopharmacologically important plant species of Himalayan region. Pure Appl. Biol 2015;4(3):407-417.
- 55. Rajalakshmi P, Vadivel V, Ravichandran N, Sudha V, Brindha P. Pharmacognostic Evaluation of Abies Webbiana Leaf: A Siddha Herbal Ingredient, Asian J Pharm Clin Res 2016;9(4):1-7.
- 56. Samira Karim, Md. Shariful Islam, Zarin Tasnim. Justification of Traditional Uses of Asparagus Racemosus (Shatavari): A Miracle Herb, The Open Bioactive Compounds Journal 2017;5:9-15.
- 57. Timalsena S, Lamichhane PP. *Astible Rivularis*: Bioactive Compounds and Pharmacological Functions. Chin. J Integr. Med 2015-2019;25:795-799.
- 58. Rabia Khan, Yasmeen Shamsi, Sadia Nikhat, Medicinal benefits of Adhatoda vasica Nees in Unani and contemporary medicine, CellMed 2020;10(2)-e13.
- 59. Sandesh Thapa. Chiuri: A review on its multipurpose use in Nepal, International Journal of Agriculture and Environmental Research 2019, 05(04).
- 60. Pooja Sharma, Rajiv Sharma, Rao HS, Dinesh Kumar. Phytochemistry and medicinal attributes of A scholaris: A review, IJPSR 2016;0975-8232.6(12).505-13.
- 61. Ahmad M, Butt MA, Zhang G, Sultana S, Tariq A, Zafar M. *Bergenia ciliata*: A comprehensive review of its traditional uses, phytochemistry, pharmacology and safety. Biomedicine & Pharmacotherapy 2018;97:708-721
- 62. Nigam M, Atanassova M, Mishra AP *et al.* Bioactive Compounds and Health Benefits of Artemisia Species. Natural Product Communications 2019.