



ISSN 2320-3862
JMPS 2014; 2(6): 50-52
© 2014 JMPS
Received: 11-10-2014
Accepted: 28-11-2014

Sadique Husain
PG Scholars (MD), Dept. of
Ilmul Advia, National Institute
of Unani Medicine (NIUM)
Bangalore-91

Md. Anzar Alam
PG Scholars (MD), Dept. of
Moalajat (Medicine), National
Institute of Unani Medicine
(NIUM) Bangalore-91

Shamim Ahmed
PG Scholars (MD), Dept. of
Ilmul Advia, National Institute
of Unani Medicine (NIUM)
Bangalore-91

Aleemuddin Quamri
Lecturer (MD), Dept. of Moalajat
(Medicine), National Institute of
Unani Medicine (NIUM)
Bangalore-91

Mohd. Asim Khan
PG Scholars (MD), Dept. of
Ilmul Advia, National Institute
of Unani Medicine (NIUM)
Bangalore-91

Correspondence:
Sadique Husain
PG Scholar (MD), Dept. Ilmul
Advia, National Institute of
Unani Medicine (NIUM),
Bangalore-560091.

Hepatoprotective, anticancer & antiviral effects of Bhui Amla in unani medicine: an overview

**Sadique Husain, Md. Anzar Alam, Shamim Ahmed, Aleemuddin Quamri,
Mohammad Asim Khan**

Abstract

Bhui amla is commonly known as “bhumi amla” which belongs to Euphorbiaceae family. In Unani literature it is described in the name of “BHUTI” which means Bhum Amlak (Amla of land). There are many chemical constituents reported in bhui amla, but major chemical constituents are mainly alkaloids, in the form of lignins, like phyllanthin and hypophyllanthin. Globally it is used as a home remedies to treat different disorders viz; Hepatitis-B, Jaundice, Cirrhosis of liver, intestinal infection, diabetes, chronic fever, loss of appetite etc. Owing to its hepatoprotective property, it is in great demand in the market. There are many formulations available in the market for the cure of different ailments.

Keywords: Bhui Amla, Bhuti, Bhum Amlak, Hepatoprotective, Unani Medicine.

1. Introduction

Bhui amla is an annual herb mainly growing in rainy season. The plant is found to grow sufficiently in many parts of country like Bihar, Uttar Pradesh, Tamil Nadu, Maharashtra, Punjab and Sikkim as a weed. It can survive under tropical and high rainfall conditions and tolerates temporary water logging^[1].

Bhui amla is an important hepatoprotective remedy being used since time immemorial. The hepatoprotective activity has been reported from phyllanthin and hypophyllanthin present in *P. amarus*. Although it is highly valuable as hepatoprotective agent, it suffers from the dilemma of short supply due to its low herbage, availability in limited period and stringent requirement of climatic situation^[2,3].

2. Plant Catalog

Family: Euphorbiaceae

English name: Country gooseberry

Indian name

Bhuti, Bhum Amlak (Unani), Bhuamlaki, Bahupatri (Sanskrit), Jangliamli, Hazardana, Jaramala (Hindi), Keela nelli (Tamil), Nela usirika (Telugu), Nela Nelli, Kiranelli (Kannada), Bhonya amla, Anmali (Gujarathi), Bhuivali (Marathi), Bhuiamla (Bengali), Kizaneli (Malayalam).

Species

Phyllanthus Amarus Schum & Thonn (*Phyllanthus niruri* auct. Non L.), *Phyllanthus fraternus* Webster^[1,4].

3. Images of Bhui Amla





4. Plant Parts Used

Leaves, stems, seeds, fruits, and whole plants [5,6].

5. Chemical Constituents

P. amarus is reported to contain variety of phytoconstituents like lignans namely phyllanthin, hypophyllanthin, nirphyllin and phyllinirurin; flavanone glycosides like niranthin, nirtetralin, phyltetralin and lintetralin; a steroidal hormone estradiol; flavonoids like quercetin, quercitrin, and astragalin; triterpenes like phyllanthenol, phyllanthenone and phyllantheol [6, 7, 8, 9, 10, 11].

6. Action (Af'al)

Dafe Yarqan, Dafe Humma, Dafe Hiddate Safra, Dafe Istehaza, Dafe Suzak, Dafe Sartan, Dafe Istisqa, Dafe Ziabetus Shakri, Dafe Baul Uddam, Dafe Shauzashe Baul, Dafe Qillate Baul, Dafe Suddah, Dafe Zaheer, Dafe Silan Uddam, Dafe Silane Mani, Dafe Kharish, Dafe Sual, Dafe Kasrate Haiz, Dafe Iltehab, Dafe Qula [4, 12].

7. Pharmacological Activity

7.1 Hepatoprotective activity

It is reported that aqueous extract of *P. amarus* shows hepatoprotective effect on ethanol-induced rat hepatic injury [13]. Another study revealed that aqueous extract of bhui amla

at the dose of 50 or 100 mg/kg body weight for duration of 7 days against nime sulide induced hepatic damage showed hepatoprotective effect [14]. The methanolic and aqueous extracts of bhui amla seeds at the dose of 250 mg/kg body weight showed protective effect, *in-vitro* and *in-vivo* models of against CCl₄ mediated liver injury [15]. One another study reported that *P. amarus* aqueous extract against ethanol induced hepatotoxicity in rats both in *in vitro* and in vivo exhibit hepatoprotective activity, possible mechanism may involve their antioxidant activity [16].

7.2 Anticancer activity

One study revealed that aqueous extract of *Phyllanthus Amarus* treatment exhibited potent anticarcinogenic activity against 20-methylcholanthrene induced sarcoma development and increased the survival of tumour harboring mice, antitumour and anticancer activity may be related with the inhibition of metabolic activation of carcinogen as well as the inhibition of cell cycle regulators and DNA repair [17]. It is reported that a mixture (1:1) of phyllanthin and hypophyllanthin isolated from *P. amarus* exhibited antitumor activities against Ehrlich Ascites Carcinoma in Swiss albino mice at a dose of 25mg/kg, 50 mg/kg, and 100mg/kg body weight [18]. It is documented that *P. amarus* protects the liver from hepatocarcinogenesis and the root extract of *P. acuminatus* exerts growth inhibition in murine P-388 lymphocytic leukemia and B-16 melanoma cell lines [19]. Another study declared that methanolic and aqueous extracts of *Phyllanthus* showed anti-metastatic effects on human lung (A549) and breast (MCF-7) cancer cell lines [20]. One another study revealed that flavonoids isolated from *Aloe vera*, *Mimosa pudica* and *Phyllanthus niruri* showed cytotoxicity activity against human breast carcinoma cell line (MCF-7) and the inhibitory concentration at 50% growth (IC 50) was found to be, *Mimosa pudica* (IC₅₀= 35.52±0.50 µg/ml), *Aloe vera* (IC₅₀= 54.97±0.36µg/ml) and *Phyllanthus niruri* (IC₅₀= 84.88±0.87 µg/ml) [21].

7.3 Antiviral effect

It is reported that an aqueous extract of the plant bhui amla inhibits endogenous DNA polymerase of hepatitis B virus and binds to the surface antigen of hepatitis B virus *in vitro* [22]. Another study regarding bhui amla exhibit antiviral activity against HIV [23]. It is documented that aqueous and methanolic extracts of bhui amla showed antiviral effect against dengue virus [24]. Bhui amla reveal the powerful antiviral activity against Herpes Simplex Virus type-1 and Herpes Simplex Virus type-2 which is anticipated to its action in the early stage of infection and replication [25].

8. Conclusion

Bhui Amla is an excellent medicinal herb which is broadly used in tropical countries including India. They have various pharmacological activities such as hepatoprotective, anticancer, antiviral, antidiabetic, nephroprotective, anti-inflammatory, antimicrobial etc. This effective diverse herb particularly hepatoprotective, used therapeutically by the Unani Attiba, since time immemorial in various disorders has been duly supported and validated by above mentioned *in vitro* and *in vivo* studies support the claims made by Unani scholars. However conservation and optimum utilization of such medicinal herbs is also a challenge and requisite to the stakeholders for the betterment of humanity.

9. Acknowledgement

All authors are equal contributor in collection of materials for this paper and finally compiling this article.

10. Conflict of Interest & Funding: NIL

11. References

1. <http://vikaspedia.in/agriculture/crop-production/bhumiamlaki>. Cited on 25-10-2014.
2. Thakur JS, Kharya MD. Enhancing Hepatoprotective Bioactive's from *Phyllanthus Amarus* Through Immobilization. International Journal of Bioscience. Biochemistry and Bioinformatics. 2011; 1(4):302-306.
3. Sharma A, Sharma MS, Mishra A, Sharma S, Kumar B, Bhandari A. A Review on Thar Plants Used In Liver Diseases. International Journal of Research in Pharmacy and Chemistry 2011; 1(2):224-236.
4. Verma S, Sharma H, Garg M. *Phyllanthus Amarus*: A Review. Journal of Pharmacognosy and Phytochemistry. 2014; 3(2):18-22.
5. <http://www.bimbima.com/health/post/2013/09/04/medicinal-use-bhui-amla-tamalaki.aspx>. Cited on 25-10-2014.
6. Dhongade H, Chandewar AV. Pharmacognostical, Phytochemical, Pharmacological properties and Toxicological assessment of *Phyllanthus Amarus*. Interational Journal of Biomedical and Advance Research. 2013; 4(5): NA
7. Houghton PJ, Woldemariam TZ, Siobhan OS, Thyagarajan SP. Two securinega type alkaloids from *Phyllanthus Amarus*. Phytochemistry. 1996; 43:715-717.
8. Kassuya CA, Silvestre A, Menezes-de-Lima Jr O, Marotta DM, Rehder VL, Calixto JB. Antiinflammatory and antiallodynic actions of the lignin niranthin isolated from *Phyllanthus Amarus*. Evidence for interaction with platelet activating factor receptor. European Journal of Pharmacology. 2006; 546:182-188.
9. Foo LY. Amariin a di-dehydro hexahydroxy diphenoyl hydrolysable tannin from *Phyllanthus Amarus*. Phytochemistry. 1993; 33:487-491.
10. Maciel MAM, Cunha A, Dantas FTNC, Kaiser CR. NMR characterization of bioactive lignans from *Phyllanthus Amarus* Schum & Thonn. Journal of Magnetic Resonance Imaging. 2007; 6:76-82.
11. Obianime W, Uche FI. The Phytochemical screening and the effects of methanolic extract of *Phyllanthus Amarus* leaf on the Biochemical parameters of Male guinea pigs. J. Appl. Sci. Environ. Manage. 2008; 12(4):73-77.
12. Ghani N. Khazainul Advia. Published by Idara Kitab-ul-Shifa New Delhi. 2010, 417.
13. Pramyothin P, Ngamtin C, Pongshompoo S, Chaichantipyuth C. Hepatoprotective activity of *Phyllanthus Amarus* Schum Thonn extract in ethanol treated rats: *In vitro* and *in vivo* studies. Journal of Ethnopharmacology. 2007; 114(2):169-173.
14. Chatterjee M, Sil PC. Hepatoprotective effect of aqueous extract of *Phyllanthus niruri* on nimesulide induced oxidative stress *in vivo*. Indian Journal of Biochemistry & Biophysics. 2006; 43:299-305.
15. Syed Asad B, Iqbal MM, Kiranmai M, Ibrahim M. Hepatoprotective Activity of *Phyllanthus Amarus* Seeds Extracts in CCl₄ Treated Rats: *In vitro* & *In Vivo*. Global Journal of Medical Research. 2012; 12(6):39-49.
16. Pramyothin P, Ngamtin C, Pongshompoo S, Chaichantipyuth C. Hepatoprotective activity of *Phyllanthus Amarus* Schum. Thonn extract in ethanol treated rats: *in vitro* and *in vivo* studies. Journal of Ethnopharmacol 2007; 114(2):169-173.
17. kumar NVR, Joy KL, Kuttan G, Ramsewak RS, Nair MG, Kuttan R. Antitumour and anticarcinogenic activity of *Phyllanthus Amarus* extract. Journal of Ethnopharmacology 2002; 81(1):17-22.
18. Islam A, Selvan T, Mazumder UK, Gupta M, Ghosal S. Antitumour Effect Of Phyllanthin And Hypophyllanthin From *Phyllanthus Amarus* Against Ehrlich Ascites Carcinoma In Mice. Pharmacologyonline 2008; 2:796-807.
19. <http://cdn.intechopen.com/pdfs-wm/24230.pdf>. Evaluation of Phyllanthus, for Its Anti-Cancer Properties. Cited on 26-10-2014.
20. Lee SH, Jaganath IB, Wang SM, Sekaran SD. Antimetastatic Effects of *Phyllanthus* on Human Lung (A549) and Breast (MCF-7) Cancer Cell Lines 2011.
21. Jose J, Sudhakaran S, Kumar S, Jayaraman S, Variyar EJ. A Comparative Evaluation Of Anticancer Activities Of Flavonoids Isolated From Mimosa Pudica, Aloe Vera And Phyllanthus Niruri Against Human Breast Carcinoma Cell Line (Mcf-7) Using Mtt Assay. International Journal of Pharmacy and Pharmaceutical Sciences. 2014; 6(2):319-322.
22. Venkateswaran PS, Millman I, Blumberg BS. Effects of an extract from *Phyllanthus niruri* on hepatitis B and woodchuck hepatitis viruses: *In vitro* and *in vivo* studies. Proc Nati Acad Sci USA 1987; 84:274-278.
23. Naik AD, Juvekar AR. Effects of Alkaloidal Extract of *Phyllanthus Niruri* on Hiv Replication. Indian Journal of Medical Sciences. 2003; 57(9):387-394.
24. Lee SH, Tang YQ, Rathkrishnan A, Wang SM, Ong KCh, Manikam R *et al*. Effects of cocktail of four local Malaysian medicinal plants (*Phyllanthus* spp.) against dengue virus 2. BMC Complementary and Alternative Medicine. 2013; 13(192):1-13.
25. Tan W, Jaganath I, Manikam I. Evaluation of antiviral activities of four local Malaysian *Phyllanthus* species against Herpes simplex viruses and possible antiviral target. International Journal of Medical Sciences. 2013; 10(13):1817-1892.